



FAYETTEVILLE PUBLIC WORKS COMMISSION

PROCUREMENT DEPARTMENT

<https://www.faypwc.com/bids/>

Bid Addendum

PWC Number: PWC2223045

Bid Title : Buckhead Subdivision Water Main Looping

Bid Opening Date and Time: July 11, 2023 @ 2:00 pm

Addendum Number: 2

Addendum Date: July 6, 2023

Procurement Advisor: Tanya Hazlett
Tanya.hazlett@faypwc.com

1. The solicitation is hereby modified as follows:

- M1. *The updated bid pricing form is attached. Watermark DRAFT removed.*
- M2. *The Bid Opening date will be extended from July 6, 2023, @ 2:00 pm to July 11, 2023, @ 2:00 pm. The location and conference room are unchanged from the original bid documents.*
- M3. *Updated line item # 8 on the pricing sheet from .2 to 0.2*



BID PRICING FORM

Line Item #	Reference to Section 01025 Measurement & Payment Description	Estimated Quantity	Unit	Unit Price	Extended Price
INCIDENTAL ITEMS					
1	1.01 Mobilization	1	L.S.		
2	1.02 Traffic Plan and Traffic Control	1	L.S.		
3	1.03 Erosion & Sedimentation Control	1	L.S.		
4	1.04 Clearing & Grubbing	0.2	Ac.		
5	1.05 Select Material (Backfill)	50	C.Y.		
6	1.06 Remove & Replace Curb & Gutter – Concrete	10	L.F.		
7	1.07 Permanent Asphalt Patch	10	S.Y.		
8	1.08 Permanent Seeding	0.2	A.C.		
9	1.09 Permanent Sod	220	S.Y.		
BASE WATER CONSTRUCTION ITEMS					
10	2.01 Furnish and Install Water Main by Horizontal Directional Drill – 8” Fusible C900 PVC	1	L.S		
11	2.03 Furnish and Install Water Main by Open Trench – 8” Restrained Joint Ductile Iron	172	L.F.		
12	2.03 Furnish and Install Water Main by Open Trench – 12” Restrained Joint Ductile Iron	5	L.F.		
13	2.04 Furnish and Install Water Main by Direct Bore – 8” Restrained Joint Ductile Iron	20	L.F.		
14	2.05 Furnish and Install New Tapping Sleeve & Valve – 8”x8”	1	Ea.		
15	2.06 Furnish and Install New Gate Valve – 12”	1	Ea.		
16	2.07 Sterilization and Testing – Water	385	L.F.		
ALTERNATE WATER CONSTRUCTION ITEMS					
17	2.02 Furnish and Install Water Main by Horizontal Directional Drill – 10” DR9 HDPE	1	L.S		
18	2.03 Furnish and Install Water Main by Open Trench – 8” Restrained Joint Ductile Iron	122	L.F.		
19	2.03 Furnish and Install Water Main by Open Trench – 12” Restrained Joint Ductile Iron	5	L.F.		
20	2.04 Furnish and Install Water Main by Direct Bore – 8” Restrained Joint Ductile Iron	20	L.F.		
21	2.05 Furnish and Install New Tapping Sleeve & Valve – 8”x8”	1	Ea,		
22	2.06 Furnish and Install New Gate Valve – 12”	1	Ea.		
23	2.07 Sterilization and Testing – Water	385	L.F.		
ALLOWANCES					
24	3.01 Contingency	1	L.S.	\$20,000.00	\$20,000.00