

FAYETTEVILLE PUBLIC WORKS COMMISSION WATER RESOURCES ENGINEERING DEPARTMENT

APPLICATION FOR SANITARY SEWER SYSTEM EXTENSION

PWC Permit #

This application is for sewer extensions involving gravity sewers, pump stations and force mains, or any combination thereof. The applicant and the design engineer must certify that the project meets the requirements of 15A NCAC 02T and that plans, specifications and supporting documents have been prepared in accordance with 15A NCAC 02T, Fayetteville PWC Minimum Design Criteria, and good engineering practices.

. Applicant and General P	roject Information	
Signing Official per 15A NCAC 2T	.0106(b)	
	* /	
Applicant Type:		
☐ Corporation	☐ General Partnership	☐ Individual
☐ Privately-Owned Public	e Utility □ Municipal	☐ State/County
☐ Federal	☐ Other:	
		t is registered for business with the North Carolina Secretary of State e filed with the Register of Deeds in the county of business
□ Proposed (New Permit)	☐Existing Permit/Project	
Is this a change in developer fo	r an existing permit? \square Yes If yes,	provide existing permit number:
Is this a modification of an exis	ting permit? \square Yes If yes,	provide existing permit number:
☐ Identify the previously perm☐ Items to be added, and/or ite		any previously permitted items have been certified. describe the sewers to be listed in the final permit.
☐ Clearly identify the requeste	a permitting action and accurately t	rescribe the sewers to be listed in the final permit.
		Located in Cumberland County
☑ After installation and PWC's	s acceptance, ownership of the propove shall execute an Agreement for	osed sewer system will be relinquished to Fayetteville PWC. Utility Service(s) or a Utility Service Commitment Agreemen
. Engineer Information		
,		
I. Downstream Sewer and	Treatment Facility Inform	ation
Fayetteville PWC WQCS00007	·	
Owner of Receiving Sewer	Permit # of Receivi	ng Sewer (if known) 3. Receiving Sewer Size
. Facility that will treat wastewat		<u> </u>
☐ Rockfish WWTF: Permit NO		ek WWTF: Permit NC 0023957

IV. Nature of Wastewater Generated by this Project 1. Origin of Wastewater (Check all that apply) Residential (Individually Owned) Retail (stores, centers, malls)

	6 11 37				
	☐ Residential (Individually Owned)	☐ Retail (stores, centers, malls)	☐ Car Wash		
	☐ Residential (Leased)	☐ Retail with food preparation/service	☐ Hotel and/or Motels	;	
	☐ School / preschool / day care	☐ Medical / dental / veterinary facilities	☐ Swimming Pool /Cl	ubhouse	
	☐ Food and drink facilities	☐ Church	☐ Swimming Pool/Filt	er Backwa	ash
	☐ Businesses / offices / factories		☐ Nursing Home		
	☐ Other (Explain in Attachment)				
2.	Nature of Wastewater: % Domestic % Industrial (S	% Commercial ee 15A NCAC 02T .0103(20) and the City of I	Fayetteville Code of Ord	inances)	
	For Industrial flows, is there a Pretreatment	Program in effect?		\square Yes	□No
3.	Has a flow reduction been approved under F If yes, provide a copy of flow reduction app			□Yes	□No

4. Summarize wastewater generated by this project

Establishment Type (see 02T.0114(f))	Daily Design Flow ^{a,b}	No. of Establishment Units	Flow
	gal/		GPD

- a. See 15A NCAC 02T .0114(b), (d), (e)(1) and (e)(2) for caveats to wastewater design flow rates (i.e. minimum flow per dwelling; proposed unknown non-residential development uses; and public access facilities located near high public use areas.)
- b. Per 15A NCACA 02T .0114(c), design flow rates for establishments not identified in table 15A NCAC 02T .0114 shall be determined using available flow data, water using fixtures, occupancy or operation patterns, and other measured data.

5.	Wastewater generated by project: GPD (per 02T.0114) Do not include future flows or previously permitted allocations.
6.	If permitted flow is zero, indicate why:
	Pump Station/Force Main or Gravity Sewer where flow will be permitted in subsequent permits that connect to this line.
	Flow has already been allocated in Permit Number: Permit No.and issuance date:
	Rehabilitation or replacement of existing sewers with no new flow expected
	Other (Explain):

V. Gravity Sewer Design Criteria (If Applicable)

Summarize gravity sewer mains to be permitted

Size (inches)	Length (ft)	Material

- > Section II & III of the MDC for Permitting of Gravity Sewers contains information related to design criteria
- > Section III contains information related to minimum slopes for gravity sewer(s)
- > Oversizing lines to meet minimum slope requirement is not allowed and a violation of the Minimum Design Criteria

VI. Pump Station Design Criteria (If Applicable)

COMPLETE FOR EACH PUMP STATION INCLUDED IN THIS PROJECT

1.				
	Pump Station ID Latitude		Longitude	
3.	Total number of pumps at the pump station:			
4.	Design flow of the pump station: millions g This should reflect the total GPM for the			ervice.
5.	Operational point(s) per pump(s):gallons	per minute atfeet to	tal dynamic head (TI	OH)
6.				
	Size (inches)	Length (ft)	Material	1
				1
				1
				1
				1
				_
	If any portion of the force main is less than 4-ind Section 2.01C.1.b. \square Grinder Pump \square Mechan		•	f solids reduction per MDCPSFM
7.	Indicate the method of power reliability in accord	dance with 02T.0305(h)(1):	
	 □ Standby power source or □ Standby pump ➤ Must have automatic activation and telemetry – 15. ➤ Required for all pump stations with an average dail ➤ Must be permanent to facility and may not be poor 	ly flow greater than or equal		lay
	Or if the pump station has an average daily flow	less than 15,000 gallons	per day 15A NCAC ()2T .0305(h)(1)(c):
	☐ Portable power source with manual activation, quick-connection receptacle and telemetry			
	☐ Portable pumping unit with plugged emergence			
	➤ Include documentation that the portable source is o			
	➤ If the portable power source or pump is dedicated t rotation schedule of the portable power source or p case of a multiple station power outage.			

VII. Setbacks & Separations – (02B .0200 & 15A NCAC 02T .0305(f)):

Setback Parameter	Separation Required
Storm sewers and other utilities not listed below (vertical)	24 inches
Water mains (vertical - water over sewer preferred, including in benched trenches)	18 inches
Water mains (horizontal)	10 feet
Reclaimed water lines (vertical - reclaimed over sewer)	18 inches
Reclaimed water lines (horizontal - reclaimed over sewer)	2 feet
Any private or public water supply source, including any wells, WS-I waters of Class I or Class II impounded reservoirs used as a source of drinking water, and associated wetlands	100 feet
Waters classified WS (except WS-I or WS-V), B, SA, ORW, HQW, or SB from normal high water, and wetlands associated with these waters (see item VII.2)	50 feet
Any other stream, lake, impoundment, or ground water lowering and surface drainage ditches, as well as wetlands associated with these waters or classified as WL	10 feet
Any building foundation (horizontal)	10 feet
Any basement (horizontal)	10 feet
Top slope of embankment or cuts of 2 feet or more vertical height	10 feet
Drainage systems and interceptor drains	5 feet
Any swimming pools	10 feet
Final earth grade (vertical)	36 inches

1.	Does the project comply with all separations/alternatives found in .15A NCAC 02T 0305(f) & (g) > 02T.0305(f) contains minimum separations that shall be provided for sewer systems > 15A NCAC 02T .0305(g) contains alternatives where separations in 02T .0305(f) cannot be achieved. Please check "above if these alternatives are used and provide narrative information to explain. > Stream classifications can be identified using the NC Surface Water Classifications webpage > If noncompliance with 02T.0305(f) or (g), this project must be permitted by the North Carolina Department of Environmental Quality Division of Water Resources after review by Fayetteville PWC.	☐ Yes ☐No
2.	Does this project comply with the minimum separation requirements for water mains? if no, please refer to 15A NCAC 18C .0906(f) for documentation requirements and submit a separate document, signed/sealed by a NC licensed PE, verifying the criteria outlined in that Rule.	□ Yes □ No □ N/A
3.	Does the project comply with separation requirements for wetlands? Please provide supplementary information identifying the areas of non-conformance. See the Division of Environmental Quality draft separation requirements for situations where separation cannot be met No variance is required if the alternative design criteria specified is utilized in design and construction Record documents should reference the location of areas affected	□ Yes □ No □ N/A
1.	Does the project require coverage/authorization under a 404 Nationwide/individual permit or 401 Water Quality Certification? > Please provide the permit number/permitting status in the cover letter if cover/authorization is required.	□ Yes □ No
5.	Does project comply with 02T.0105(c)(6) (additional permits/certifications)? > Per 02T.0105(c)(6), directly related environmental permits or certification applications are being prepared, have been applied for, or have been obtained. Issuance of this permit is contingent on issuance of dependent permits (erosion and sedimentation control plans, stormwater management plans, etc.).	□ Yes □ No
5 .	Does this project include any sewer collection lines that are deemed "high-priority?" > Per 02T.0402, "high-priority sewer" means "any aerial sewer, sewer contacting surface waters, siphon, or sewer positioned parallel to streambanks that is subject to erosion that undermines or deteriorates the sewer." Siphons and sewers suspended through interference/conflict boxes require a variance approval from NCDEQ. > If yes, include an attachment with details for each line, including type (aerial line, size, material, and location).	□ Yes □ No

VIII. Certifications

1.	
	Project Name (from I.1)
2.	Does the submitted system comply with 15A NCAC 02T, the Minimum Design Criteria for the Permitting of Pump Stations and Force Mains (latest version), the Gravity Sewer Minimum Design Criteria (latest version), the PWC Design Manual, Fayetteville's City Code of Ordinances regarding PWC's Delegated Permitting Program, and other supporting materials as applicable?
	☐ Yes ☐ No
	If No, this project must be permitted by the North Carolina Department of Environmental Quality Division of Water Resources after review by Fayetteville PWC.
3.	Applicant's Certification:
	I,
	Signature of Applicant's Signing Official (from I.2) Date
4.	Professional Engineer's Certification
	I,
	to exceed \$10,000, as well as civil penalties up to \$25,000 per violation. Misrepresentation of the application information, including failure to disclose any design non-compliance with the applicable Rules and design criteria, may subject the North Carolina-licensed Professional Engineer to referral to the licensing board. (21 NCAC 56.0701)
	North Carolina Professional Engineer's seal, signature, and date: